



Product Portfolio



Discover our reusable plastic
packaging and pooling solutions
for a more efficient and sustainable
supply chain

4317 Active Lock

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm (folded)
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	18.200 units per truck



6413 Active Lock

Specifications

More info?



External	600 x 400 x 146 mm
Internal	572 x 372 x 135 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,6 kg
Volume	29 l
Loading capacity	12 kg
Loading quantities	9.100 units per truck



6408 Active Lock

Specifications

More info?



External	600 x 400 x 105 mm
Internal	572 x 372 x 96 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,3 kg
Volume	20 l
Loading capacity	8 kg
Loading quantities	10.530 units per truck



6416 Active Lock

Specifications

More info?



External	600 x 400 x 181 mm
Internal	572 x 372 x 170 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,8 kg
Volume	36 l
Loading capacity	18 kg
Loading quantities	9.100 units per truck



6411 Active Lock

Specifications

More info?



External	600 x 400 x 131 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,6 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	10.530 units per truck



6419 Active Lock

Specifications

More info?



External	600 x 400 x 208 mm
Internal	572 x 372 x 197 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	42 l
Loading capacity	20 kg
Loading quantities	9.100 units per truck



Loading quantities depend on the particular market in which eLog operates.

Loading quantities depend on the particular market in which eLog operates.



6423 Active Lock

Specifications

More info?



External	600 x 400 x 233 mm
Internal	572 x 372 x 222 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	48 l
Loading capacity	20 kg
Loading quantities	9.100 units per truck



Egg 6317 US

Specifications

More info?



External	610 x 337 x 182 mm
Internal	588 x 309 x 165 mm
Folded	610 x 337 x 48 mm
Incremental height	42 mm (folded)
Weight	1,5 kg
Volume	30 l
Loading capacity	9 kg
Loading quantities	8.736 units per truck



6425 Active Lock

Specifications

More info?



External	600 x 400 x 259 mm
Internal	572 x 372 x 250 mm
Folded	600 x 400 x 61 mm
Incremental height	55 mm (folded)
Weight	2,3 kg
Volume	53 l
Loading capacity	24 kg
Loading quantities	5.590 units per truck



Egg 6332 US

Specifications

More info?



External	610 x 337 x 320 mm
Internal	588 x 309 x 298 mm
Folded	610 x 337 x 77 mm
Incremental height	71 mm (folded)
Weight	2,3 kg
Volume	54 l
Loading capacity	18 kg
Loading quantities	5.148 units per truck



6428 Active Lock

Specifications

More info?



External	600 x 400 x 287 mm
Internal	572 x 372 x 278 mm
Folded	600 x 400 x 61 mm
Incremental height	55 mm (folded)
Weight	2,5 kg
Volume	59 l
Loading capacity	24 kg
Loading quantities	5.590 units per truck



Loading quantities depend on the particular market in which eLog operates.



4316 Wood Look AL

Specifications

More info?



External	400 x 300 x 163 mm
Internal	372 x 272 x 156 mm
Folded	400 x 300 x 33.5 mm
Incremental height	29,5 mm
Weight	0,9 kg
Volume	15,8 l
Loading capacity	10 kg
Loading quantities	20.800 units per truck



6419 Wood Look AL

Specifications

More info?



External	600 x 400 x 188 mm
Internal	572 x 372 x 181 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,75 kg
Volume	38,6 l
Loading capacity	20 kg
Loading quantities	10.400 units per truck



6411 Wood Look AL

Specifications

More info?



External	600 x 400 x 113 mm
Internal	572 x 372 x 106 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,3 kg
Volume	22,6 l
Loading capacity	10 kg
Loading quantities	10.400 units per truck



6422 Wood Look AL

Specifications

More info?



External	600 x 400 x 218 mm
Internal	572 x 372 x 210 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,9 kg
Volume	44,8 l
Loading capacity	20 kg
Loading quantities	10.400 units per truck



6416 Wood Look AL

Specifications

More info?



External	600 x 400 x 163 mm
Internal	572 x 372 x 156 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,6 kg
Volume	33,2 l
Loading capacity	18 kg
Loading quantities	10.400 units per truck



Loading quantities depend on the particular market in which eLog operates.



6408 Wood Look AL US

Specifications

More info?



External	600 x 400 x 105 mm
Internal	572 x 372 x 98 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,25 kg
Volume	20,8 l
Loading capacity	8 kg
Loading quantities	10.400 units per truck




6416 Wood Look AL US

Specifications

More info?



External	600 x 400 x 179 mm
Internal	572 x 372 x 172 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,7 kg
Volume	36,6 l
Loading capacity	18 kg
Loading quantities	10.400 units per truck



6411 Wood Look AL US

Specifications

More info?



External	600 x 400 x 129 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,41 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	10.400 units per truck



6419 Wood Look AL US

Specifications

More info?



External	600 x 400 x 206 mm
Internal	572 x 372 x 199 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,88 kg
Volume	42,4 l
Loading capacity	20 kg
Loading quantities	10.400 units per truck



6413 Wood Look AL US

Specifications

More info?



External	600 x 400 x 154 mm
Internal	572 x 372 x 147 mm
Folded	600 x 400 x 33.5 mm
Incremental height	29,5 mm
Weight	1,56 kg
Volume	31,3 l
Loading capacity	18 kg
Loading quantities	10.400 units per truck




6423 Wood Look AL US

Specifications

More info?



External	600 x 400 x 245 mm
Internal	572 x 371 x 238 mm
Folded	600 x 400 x 52 mm
Incremental height	48 mm
Weight	2,35 kg
Volume	50,6 l
Loading capacity	20 kg
Loading quantities	6.370 units per truck



Loading quantities depend on the particular market in which eLog operates.

Loading quantities depend on the particular market in which eLog operates.



4311 Press Lock

Specifications

More info?



External	400 x 300 x 115 mm
Internal	372 x 272 x 104 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm
Weight	0,8 kg
Volume	10,5 l
Loading capacity	10 kg
Loading quantities	18.200 units per truck



6416 Press Lock

Specifications

More info?



External	600 x 400 x 165 mm
Internal	572 x 372 x 154 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm
Weight	1,6 kg
Volume	33 l
Loading capacity	15 kg
Loading quantities	9.100 units per truck



4317 Press Lock

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	18.200 units per truck



6419 Press Lock

Specifications

More info?



External	600 x 400 x 190 mm
Internal	572 x 372 x 179 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm
Weight	1,6 kg
Volume	38 l
Loading capacity	20 kg
Loading quantities	9.100 units per truck



6411 Press Lock

Specifications

More info?



External	600 x 400 x 115 mm
Internal	572 x 372 x 104 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm
Weight	1,3 kg
Volume	22 l
Loading capacity	15 kg
Loading quantities	9.100 units per truck



6423 Press Lock

Specifications

More info?



External	600 x 400 x 235 mm
Internal	572 x 372 x 224 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm
Weight	1,9 kg
Volume	48 l
Loading capacity	20 kg
Loading quantities	9.100 units per truck



Loading quantities depend on the particular market in which eLog operates.

Loading quantities depend on the particular market in which eLog operates.



4317 Meat

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	18.200 units per truck



4317 Meat

Specifications

More info?



External	400 x 300 x 170 mm
Internal	372 x 272 x 159 mm
Folded	400 x 300 x 39 mm
Incremental height	33 mm
Weight	1 kg
Volume	16 l
Loading capacity	10 kg
Loading quantities	18.200 units per truck



6411 Meat

Specifications

More info?



External	600 x 400 x 131 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,6 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	10.530 units per truck



6411 Meat

Specifications

More info?



External	600 x 400 x 131 mm
Internal	572 x 372 x 122 mm
Folded	600 x 400 x 35 mm
Incremental height	29 mm (folded)
Weight	1,6 kg
Volume	26 l
Loading capacity	10 kg
Loading quantities	10.530 units per truck



6419 Meat

Specifications

More info?



External	600 x 400 x 208 mm
Internal	572 x 372 x 197 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	42 l
Loading capacity	20 kg
Loading quantities	9.100 units per truck




6419 Meat

Specifications

More info?



External	600 x 400 x 208 mm
Internal	572 x 372 x 197 mm
Folded	600 x 400 x 39 mm
Incremental height	33 mm (folded)
Weight	1,9 kg
Volume	42 l
Loading capacity	20 kg
Loading quantities	9.100 units per truck



Loading quantities depend on the particular market in which eLog operates.

Loading quantities depend on the particular market in which eLog operates.



E-commerce 6425

Specifications

More info?



External	600 x 400 x 252 mm
Internal	576 x 377 x 228 mm
Incremental height	65 mm (nested)
Weight	1,55 kg
Volume	45 l
Loading capacity	15 kg
Loading quantities	4.940 units per truck



E-commerce 6436

Specifications

More info?



External	600 x 400 x 360 mm
Internal	570 x 373 x 346 mm
Weight	2,5 kg
Volume	65 l
Loading capacity	35 kg
Loading quantities	2.340 units per truck



Loading quantities depend on the particular market in which eLog operates.

E-commerce 6428

Specifications

More info?



External	600 x 400 x 288 mm
Internal	573 x 374 x 263 mm
Incremental height	56 mm (nested)
Weight	1,9 kg
Volume	52 l
Loading capacity	18 kg
Loading quantities	3.640 units per truck



E-commerce 6430

Specifications

More info?



External	600 x 400 x 300 mm
Internal	570 x 373 x 272 mm
Incremental height	98 mm (nested)
Weight	2 kg
Volume	54 l
Loading capacity	21 kg
Loading quantities	2.860 units per truck



Loading quantities depend on the particular market in which eLog operates.



4318 Nestable

Specifications

More info?



External	400 x 300 x 180 mm
Internal	387 x 277 x 144 mm
Incremental height	53 mm (nested)
Weight	1 kg
Volume	10 l
Loading capacity	10 kg
Loading quantities	10.920 units per truck




6419 Nestable

Specifications

More info?



External	600 x 400 x 198 mm
Internal	575 x 376 x 173 mm
Incremental height	46 mm (nested)
Weight	1,6 kg
Volume	37 l
Loading capacity	20 kg
Loading quantities	6.370 units per truck



6410 Nestable

Specifications

More info?



External	600 x 400 x 106 mm
Internal	566 x 366 x 80 mm
Incremental height	40 mm (nested)
Weight	1,1 kg
Volume	16 l
Loading capacity	7 kg
Loading quantities	7.540 units per truck



6424 Nestable

Specifications

More info?



External	600 x 400 x 250 mm
Internal	576 x 376 x 227 mm
Incremental height	65 mm (nested)
Weight	1,9 kg
Volume	45 l
Loading capacity	21 kg
Loading quantities	4.420 units per truck



Loading quantities depend on the particular market in which eLog operates.

6416 Nestable

Specifications

More info?



External	600 x 400 x 165 mm
Internal	573 x 376 x 140 mm
Incremental height	40 mm (nested)
Weight	1,4 kg
Volume	30 l
Loading capacity	12 kg
Loading quantities	7.410 units per truck



Loading quantities depend on the particular market in which eLog operates.



1/4 Dolly

Specifications

More info?



External	600 x 400 x 150 mm
Incremental height	130 mm
Weight	4 kg
Loading capacity	250 kg
Loading quantities	2.210 units per truck
Base	wheels
Options available	attachable handle brake
Standard	popup system




1/2 Pallet

Specifications

More info?



External	800 x 600 x 165 mm
Incremental height	165 mm
Weight	7 kg
Loading capacity	500 kg
Loading quantities	990 units per truck



1/2 Dolly

Specifications

More info?



External	800 x 600 x 175,5 mm
Incremental height	158 mm
Weight	9,5 kg
Loading capacity	500 kg
Loading quantities	1.056 units per truck
Base	wheels
Options available	attachable handle
Standard	popup system brake



Beverage Tray 1L

Specifications



External	800 x 600 x 76 mm
Weight	2,7 kg
Volume	72 bottles
Cap diameter	30,3 mm
Loading capacity	500 kg



1/4 Pallet

Specifications

More info?



External	600 x 400 x 145 mm
Incremental height	60 mm
Weight	2,2 kg
Loading capacity	250 kg
Loading quantities	5.200 units per truck



Beverage Tray 2L

Specifications



External	800 x 600 x 77 mm
Weight	2,56 kg
Volume	48 bottles
Cap diameter	30,3 mm
Loading capacity	500 kg



Loading quantities depend on the particular market in which eLog operates.



Loading quantities depend on the particular market in which eLog operates.



Display Bin 76

Specifications

More info?



External	800 x 600 x 765 mm
Internal	748 x 548 x 600 mm
Folded	800 x 600 x 300 mm
Incremental height	285 mm
Weight	23,4 kg
Volume	246 l
Loading capacity	170 kg
Loading quantities	528 units per truck
Base	pallet
Options available	rising floor



Display Bin 108

Specifications

More info?



External	800 x 600 x 1090 mm
Internal	748 x 548 x 925 mm
Folded	800 x 600 x 610 mm
Incremental height	560 mm
Weight	31,7 kg
Volume	380 l
Loading capacity	250 kg
Loading quantities	264 units per truck
Base	wheels
Options available	rising floor



1/2 Display Bin 77

Specifications

More info?



External	1000 x 600 x 777 mm
Internal	948 x 548 x 615 mm
Folded	1000 x 600 x 314 mm
Incremental height	299 mm
Weight	30 kg
Volume	315 l
Loading capacity	230 kg
Loading quantities	416 units per truck
Base	pallet
Options available	rising floor



Display Bin 109

Specifications

More info?



External	800 x 600 x 1088 mm
Internal	760 x 560 x 920 mm
Folded	800 x 600 x 428 mm
Incremental height	389 mm
Weight	34,6 kg
Volume	391,5 l
Loading capacity	250 kg
Loading quantities	396 units per truck
Base	wheels
Options available	rising floor



Display Bin 96

Specifications

More info?



External	800 x 600 x 965 mm
Internal	748 x 548 x 800 mm
Folded	800 x 600 x 500 mm
Incremental height	485 mm
Weight	26,5 kg
Volume	328 l
Loading capacity	230 kg
Loading quantities	330 units per truck
Base	pallet
Options available	rising floor



1/4 Display Bin

Specifications

More info?



External	600 x 400 x 1112 mm
Internal	560 x 360 x 935 mm
Folded	600 x 400 x 457 mm
Incremental height	417 mm
Weight	19 kg
Volume	188,5 l
Loading capacity	130 kg
Loading quantities	650 units per truck
Base	pallet or wheels
Options available	rising floor



eLOG

Loading quantities depend on the particular market in which eLog operates.



tosca.td.com

elog-group.com

Crates • Pallets • Dollies • Bulk Containers • Displays • Trays

eLOG

Loading quantities depend on the particular market in which eLog operates.



tosca.td.com

elog-group.com

Crates • Pallets • Dollies • Bulk Containers • Displays • Trays

285 Crystal Clear Tray

Specifications

More info?



External	600 x 400 x 285 mm
Internal	528 x 390 x 240 mm
Folded	600 x 400 x 70 mm
Incremental height	66 mm (folded)
Weight	2,26 kg
Volume	16 l
Loading capacity	36 kg
Loading quantities	4.680 units per truck



4309 Crystal Clear Crate

Specifications

More info?



External	400 x 300 x 96 mm
Internal	383 x 274 x 87 mm
Folded	400 x 300 x 41 mm
Incremental height	35 mm (folded)
Weight	0,75 kg
Volume	16 l
Loading capacity	7 kg
Loading quantities	18.200 units per truck



300 Crystal Clear Tray

Specifications

More info?



External	600 x 400 x 300 mm
Internal	528 x 390 x 255 mm
Folded	600 x 400 x 70 mm
Incremental height	66 mm (folded)
Weight	2,3 kg
Volume	30 l
Loading capacity	36 kg
Loading quantities	4.680 units per truck



6432 Crystal Clear Crate

Specifications

More info?



External	600 x 400 x 165 mm
Internal	580 x 385 x 320 mm
Folded	600 x 400 x 76 mm
Incremental height	70 mm (folded)
Weight	2,2 kg
Volume	30 l
Loading capacity	10 kg
Loading quantities	4.290 units per truck



370 Crystal Clear Tray

Specifications

More info?



External	600 x 400 x 370 mm
Internal	528 x 390 x 325 mm
Folded	600 x 400 x 70 mm
Incremental height	66 mm (folded)
Weight	2,4 kg
Volume	37 l
Loading capacity	36 kg
Loading quantities	4.680 units per truck



Crystal Clear Dolly

Specifications

More info?



External	600 x 400 x 162 mm
Incremental height	140 mm



Loading quantities depend on the particular market in which eLog operates.

Loading quantities depend on the particular market in which eLog operates.



Crystal Clear Tray Display

Specifications

More info?



External	600 x 400 mm
Height	Depending on the tray



Flat Display

Specifications

More info?



External	1230 x 1230 x 740 mm
Weight	63,7 kg
Loading capacity	120 kg



Crystal Clear Crate Display

Specifications

More info?



External	600 x 400 mm
Height	Depending on the crate



Angled Display

Specifications

More info?



External	1230 x 1050 x 1300 mm
Weight	40,3 kg
Loading capacity	120 kg



Modular Display

Specifications

More info?



External	600 x 370 x 878 mm
Weight	5,4 kg
Loading capacity	20 kg
Different configurations available (1,2,3 rows)	



Pyramid Display

Specifications

More info?



External	3120 x 1230 x 1045 mm
Weight	41,4 kg
Loading capacity	120 kg



Loading quantities depend on the particular market in which eLog operates.

Loading quantities depend on the particular market in which eLog operates.



NeRa 1208

Specifications

More info?



External	1200 x 800 x 157 mm
Weight	18 kg
Loading capacity	2500 kg in rack
Loading quantities	1188 units per truck
Base	6 replaceable legs
Deck	7 mm rims
Metal re-inforced	no




DIC 1210

Specifications

More info?



External	1200 x 1000 x 165 mm
Weight	26 kg
Loading capacity	1500 kg in rack
Loading quantities	390 units per truck
Base	5 runners
Deck	7 mm rims
	anti slip
Metal re-inforced	no



H1 1208

Specifications

More info?



External	1200 x 800 x 160 mm
Weight	18 kg
Loading capacity	1000 kg in rack
Loading quantities	495 units per truck
Base	3 runners
Deck	7 mm rims
Metal re-inforced	no



CR3 1210

Specifications

More info?



External	1200 x 1000 x 160 mm
Weight	23/25,5 kg
Loading capacity	1400 kg in rack
Loading quantities	390 units per truck
Base	3 runners
Deck	5 mm rims
	anti slip
Metal re-inforced	yes



CR1 1208

Specifications

More info?



External	1200 x 800 x 160 mm
Weight	19/21,5 kg
Volume	873 l
Loading capacity	1750 kg in rack
Loading quantities	495 units per truck
Base	3 runners
Deck	anti slip
Metal re-inforced	yes




Loading quantities depend on the particular market in which eLog operates.

CR3-5 ECO 1210

Specifications

More info?



External	1200 x 1000 x 160 mm
Weight	25 kg
Loading capacity	1400 kg in rack
Loading quantities	390 units per truck
Base	5 runners
Deck	5 mm rims
	anti slip
Metal re-inforced	yes



Loading quantities depend on the particular market in which eLog operates.



PPP3 1210

Specifications

More info?



External	1200 x 1000 x 160 mm
Weight	20 kg
Loading capacity	1250 kg in rack
Loading quantities	390 units per truck
Base	3 runners
Deck	anti slip
Metal re-inforced	no



PPP5 1210

Specifications

More info?



External	1200 x 1000 x 160 mm
Weight	20 kg
Loading capacity	1250 kg in rack
Loading quantities	390 units per truck
Base	5 runners
Deck	anti slip
Metal re-inforced	no




Loading quantities depend on the particular market in which eLog operates.

Can Top Frame - 3 sizes

Specifications

More info?



1211	
External	1250 x 1180 x 40 mm
Weight	4,2 kg
Loading quantities	2000 units per truck
1311	
External	1300 x 1120 x 40 mm
Weight	4,6 kg
Loading quantities	2000 units per truck
1411	
External	1420 x 1120 x 40 mm
Weight	5 kg
Loading quantities	2000 units per truck



Can Layer Pad - 3 sizes

Specifications

More info?




1211	
External	1245x 1175 x 0,8 mm
Weight	1 kg
Loading quantities	19500 units per truck
1311	
External	1295x 1115 x 0,8 mm
Weight	1,06 kg
Loading quantities	19500 units per truck
1411	
External	1415 x 1115 x 0,8 mm
Weight	1,12 kg
Loading quantities	19500 units per truck



Can Pallet - 3 sizes

Specifications

More info?



1211	
External	1250 x 1180 x 130 mm
Weight	23 kg
Loading quantities	400 units per truck
Base	5 runners
1311	
External	1300 x 1120 x 140 mm
Weight	22 kg
Loading quantities	400 units per truck
Base	5 runners
1411	
External	1420 x 1120 x 140 mm
Weight	25 kg
Loading quantities	360 units per truck
Base	5 runners



Smartbox 1208

Specifications

More info?



External	1200 x 800 x 805 mm
Internal	1120 x 720 x 660 mm
Folded	1200 x 800 x 298 mm
Weight	41 kg
Volume	565 l
Loading capacity	500 kg
Loading quantities	264 units per truck (297 without lid)
Base	2 runners
Drop door	1
Options available	Lid



Combo 285 BD

Specifications

More info?



External	1155 x 1155 x 1132 mm
Internal	1065 x 1045 x 940 mm
Folded	1155 x 1155 x 467 mm
Weight	85,5 kg
Volume	1060 l
Loading capacity	1400 kg
Loading quantities	110 units per truck
Base	6 runners
	Bottom discharge
Drop door	No



Magnum Classic 1208

Specifications

More info?



External	1200 x 800 x 950 mm
Internal	1120 x 720 x 735 mm
Folded	1200 x 800 x 406 mm
Weight	60,9 kg
Volume	620 l
Loading capacity	500 kg
Loading quantities	165 units per truck (198 without lid)
Base	2 runners
Drop door	2
Options available	Lid



Combo 285 BD-DD

Specifications

More info?



External	1155 x 1155 x 1132 mm
Internal	1065 x 1045 x 940 mm
Folded	1155 x 1155 x 467 mm
Weight	88,5 kg
Volume	1060 l
Loading capacity	1400 kg
Loading quantities	110 units per truck
Base	3 runners
	Bottom discharge
Drop door	1



Magnum Optimum 1210

Specifications

More info?



External	1200 x 1000 x 1000 mm
Internal	1140 x 940 x 815 mm
Folded	1200 x 1000 x 325 mm
Weight	57,2 kg
Volume	873 l
Loading capacity	750 kg
Loading quantities	208 units per truck (234 without lid)
Base	2 runners
Drop door	2
Options available	Lid



Superior Hybrid

Specifications

More info?



External	1219 x 1016 x 1147 mm
Internal	1134 x 934 x 943 mm
Folded	1219 x 1016 x 354 mm
Weight	105 kg
Volume	1000 l
Loading capacity	1500 kg
Loading quantities	182 units per truck
Base	3 runners
	Bottom discharge
Drop door	1



eLOG

Loading quantities depend on the particular market in which eLog operates.



tosca[®]
tosca[®].td.com

elog-group.com

Crates • Pallets • Dollies • Bulk Containers • Displays • Trays

eLOG

Loading quantities depend on the particular market in which eLog operates.



tosca[®]
tosca[®].td.com

elog-group.com

Crates • Pallets • Dollies • Bulk Containers • Displays • Trays

eLOG


tosca®



More freshness.
More saving.
More productivity.

Would you like to have
more information about our
sustainable packaging and pooling solutions?

Contact us:
www.elog-group.com • info@elog-group.com